

Date: 25.05.2023

To

The Additional Director

Ministry of Environment, Forest and Climate Change,

Integrated Regional Office,

Bays Nos. 24-25, Sector 31 A,

Dakshin Marg,

Chandigarh – 160030

(Mail ids.: ecompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of six monthly compliance report for period ending 31.03.2023 for the Project namely "Formaldehyde manufacturing unit with production capacity of 100 MT/day " located at Khasra No. 345, Village Seehpur, H. B. No. 176, Tehsil-Derabassi, District- SAS Nagar, Punjab

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2023 for the above said project through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely,

For M/s FEEL ORGANIC

For FEEL ORGANIC



Auth. Signatory

(Authorized Signatory)

Name:

Contact No.:

Designation:

Email:

CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019. (Uploaded on Parivesh Portal)

2023

SIX MONTHLY COMPLIANCE REPORT

(Period ending 31.03.2023)

For
Formaldehyde manufacturing unit with
production capacity of 100 MT/day

At
“Khasra No. 345, Village Seehpur, H.B. No. 176,
Tehsil- Derabassi, District- SAS Nagar, Punjab”

By
M/s Feel Organic
SK Properties, Bhabat Road Zirakpur, Opp. Dev
Shopping Complex, Zirakpur, Distt. SAS Nagar,
Punjab-140603

Prepared by:



Eco Paryavaran Laboratories and Consultants
Private Limited

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar),
Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org

M: 098140-03103, 088720-43178

www.ecoparyavaran.org

CONTENT

S. No.	Description	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	5
Annexure		
3.	A-1: Copy of Environmental Clearance letter	15
4.	A-2: Site Photographs	25
5.	A-3: Tree Plantation	28
6.	A-4: Environmental Management Cell	32
7.	A-5: PWRDA Approval	33
8.	A-6: PESO Approval Letter	35
9.	A-7: Test Reports	37
10.	A-8: Appreciation Letter	42
11.	A-9: Activity Photographs	44
12.	A-10: Receiving's	52
13.	A-11: Screenshot of E-mail showing submission of six monthly compliance report for period ending 30.09.2022	58
14.	A-12: Screenshot of official website	61
15.	A-13: Newspaper advertisements	62

Ministry of Environment, Forest and Climate Change
Northern Regional Office,
Chandigarh-160030

DATA SHEET

1.	Project Type	Industrial Project
2.	Name of the Project	Formaldehyde manufacturing unit with production capacity of 100 MT/day
3.	Clearance letter (s)/O.M No. & dates	Environmental Clearance is granted by MoEF&CC; vide Letter No. IA-J-11011/461/2021-IA-II(I) dated 24 th June 2022. Copy of the same is attached along as Annexure 1.
4.	Location	Khasra No. 345, Village Seehpur, H. B. No.- 176, Tehsil- Derabassi Dist. SAS Nagar, Punjab-140103.
	a) District (s)	District- SAS Nagar
	b) State (s)	Punjab
	c) Latitudes/ Longitudes	30°26'14.60"N and 76°53'45.94"E
5.	Address for correspondence	Mr. Devinder Dhir (Partner) SK Properties, Bhabat Road Zirakpur, Opp. Dev Shopping Complex, Zirakpur, Distt. SAS Nagar, Punjab, SAS Nagar, Punjab-140603.
6.	Salient features	
	a) of the project	As per the Environmental Clearance, the total plot area of the project is 0.83 Acers (3,340 sq.m.) and no R&R is involved in the Project. The proposed production capacity of Formaldehyde (CAS No. - 50-00-0) is 100 MT/ day. The power requirement will be 175 KVA and will be met from the Punjab State Power Corporation Limited (PSPCL).
	b) of the environmental management plans	During operational phase, the total water requirement for the project will be 86 KLD out of which fresh water requirement of 82 KLD will be met from the bore well. Effluent of 13.7 KLD will be generated once in three months which will be stored in storage tank of capacity 15 KLD and 7.3 KLD of fresh water RO reject will be generated, both will be treated in Evaporator of capacity 10 KLD. 2 KLD of treated water from septic tank will be utilized for green area

		demand. 2 KLD of condensate from Evaporator will be reused in cooling water demand. The plant will be based on Zero Liquid Discharge system. DG set of 200 KVA (1 No.), will be used as standby during power failure. Stack (3 m) will be provided as per CPCB norms to the proposed DG set. 0.8 TPH oil fired boiler with a stack of height of 9 m will be installed for controlling the particulate emissions within the statutory limit of 115 mg/Nm ³ for the proposed boiler.
7.	Break-up of the project area	
	a) Submergence area: Forest and Non-forest	Not applicable
	b) Others	Not applicable
8.	Break-up of project affected population with enumeration of those losing houses/dwelling units only, agricultural land only both dwelling units and agricultural land and landless labourers/ artisans.	Not applicable
	a) SC/ST/Adivasis	Not applicable
	b) Others <i>(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey)</i>	Not applicable
9.	Financial details:	
	a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	Original planned project cost: Rs. 500 Lakh

	b) Allocations made for environmental management plans with item wise and year wise break up.	Rs 60.66 lakhs will be allocated as capital cost, Rs. 12 lakhs/annum will be incurred as recurring cost.			
		S. No.	Description	Capital Cost/annum (in Lakhs)	Recurring Cost/annum (in Lakhs)
		1.	Air Pollution control	5.0	1.0
		2.	Industrial water pollution control	25.0	2.0
		3	Domestic water Pollution Control	5.0	0.50
		4.	Green Belt Development	8.66	5.0
		5.	Waste Management (HW Storage and Disposal)	2.0	0.75
		6.	Rain Water Recharging (Pond Adoption)	10.0	2.0
		7.	Miscellaneous	5.0	0.75
			Total	60.66	12.0
c) Benefit cost ratio/internal rate of return and the year of assessment		Will be calculated and submitted.			
d) Whether (c) includes the cost of environmental management as shown in b) above.		Yes			
e) Actual expenditure incurred on the project so far.		Rs. 2,67,13,863/- has been spent on the project till 31 st March, 2023.			
	f) Actual expenditure incurred on environmental management plans so far.	Rs. 15,85,860/- has been spent on environment management plans till 31 st March, 2023.			
10.	Forest land requirement:				
	a) the status of approval for diversion of forest land for non-forestry use	Not Applicable.			
	b) the status of clear felling, if any	Not Applicable.			

	c) the status of compensatory afforestation, if any.	Not Applicable.
	d) Comments on the viability & sustainability of compensatory Afforestation programme in the light of actual field experience so far.	Not Applicable.
11.	The status of clear felling in non-forest areas (<i>such as submergence area of reservoir, approach road</i>) if any, with quantitative information	Not applicable
12.	Status of construction:	60% construction has been done. Photographs showing the same is attached as Annexure 2.
	a) Date of commencement (actual and/or planned)	9 th July, 2022
	b) Date of completion (actual and/or planned)	August, 2023
13.	Reasons for the delay, if the project is yet to start	Not applicable

Compliance Report on conditions imposed in Environmental Clearance for Period ending 31.03.2023

A. Specific Conditions:

S. No.	Conditions	Reply
1.	The PP shall develop Greenbelt over an area at least 1,129.24 m ² by planting 835 trees within a year of grant of EC. The 835 saplings selected for the plantation should be of sufficient height preferably 6-ft. The budget earmarked for the plantation shall be ₹ 8.66 Lakh (Capital) and ₹ 5.0 Lakh (Recurring) and shall be kept in separate account and should be audited annually. PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation, method of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	<p>Agreed. A total of 1300 trees have been planted at various places. Photographs showing the same is attached as Annexure 3.</p> <p>Rs. 6,17,760/- have been spent on plantation of trees till 31.03.2023.</p>
2.	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering /specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. The PP shall engage at least one EHS Manager, one Supervisor and Consultant for the functioning of EMC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st	Agreed. Environmental Management Cell have been constituted. Copy of the same is attached as Annexure 4 .

	July of every year for the activities carried out during previous year.	
3.	<p>The budget earmarked towards Environment Management Plan (EMP) is ₹ 60.66 Lakhs and the Recurring cost (operation and maintenance) will be about ₹ 12.0 lakhs per annum which includes Air pollution control [₹ 5.0 lakh (capital) ₹ 1.0 Lakh (Recurring)], Industrial Water Pollution Control (Evaporator [₹ 25.0 lakh (capital) ₹2.0 Lakh (Recurring)], Domestic Water Pollution Control (Septic Tank & Distribution pipeline) [₹ 5.0 lakh (capital) Recurring ₹ 0.50 Lakh Green Belt Development [₹ 8.66 lakh (capital) ₹ 5.0 Lakh (Recurring)], Waste Management (HW Storage and Disposal) [₹ 2.0 lakh (capital) ₹ 0.75 Lakh (Recurring)], Rain Water Recharging (Pond Adoption) [₹ 10.0 lakh (capital) ₹ 2.0 Lakh (Recurring)] and Miscellaneous [₹5.0 lakh (capital) ₹ 0.75 Lakh (Recurring)].The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.</p>	<p>Rs 60.66 lakhs will be allocated as capital cost, Rs. 12 lakhs/annum will be incurred as recurring cost.</p> <p>Further, Rs. 15,85,860/- has been spent on Environment Management Plans.</p>
4.	The total water requirement will be 86 KLD (Fresh-82 KLD + recycled-4 KLD) which will be met from Bore Well. The PP should ensure that Ground water utilization/ abstraction should not be above the	Agreed. Ground water utilization/ abstraction will not be above the permissible limit.

	permissible limit and only after obtaining valid NOC from CGWA/ Concerned Authority. The PP should submit the details of GW abstraction and utilization to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year. In addition to this PP shall submit the target for reduction of GW utilization to Regional Office of MoEF&CC within a period of one year.	Permission to abstract ground water from PWRDA have been obtained. Copy of PWRDA approval is attached as Annexure 5 . Further, PWRDA application w.r.t. the final notification dated 27.01.2023 will be submitted.
5.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed. All the environmental protection measures and safeguards proposed will be complied.
6.	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.	Agreed. No banned chemicals will be manufactured by the project proponent.
7.	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Agreed. Modern technologies for capturing of carbon emitted will be installed.
8.	The species specific conservation plan of Schedule-I species shall be implemented within time limit and as per the approval of the Chief Wildlife Warden of the State Government.	Not applicable. The Schedule-I species were not found around 10 KM radius of the project.
9.	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The Project proponent shall implement the	Agreed. All necessary precautions will be taken to avoid accidents and action plan will be implemented for avoiding accidents.

	onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996.	
10.	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	Agreed. The volatile organic compounds/Fugitive emissions will be controlled at 99.97 % with effective chillers/modern technology. During operational phase.
11.	The project proponent shall explore possibilities for recycling and reusing of treated water in the unit to reduce the fresh water demand and waste disposal.	Agreed. The treated water will be recycled/reused within the premises. 2 KLD of treated water from septic tank will be utilized for green area demand. 2 KLD of condensate from Evaporator will be reused in cooling water demand. The plant will be based on Zero Liquid Discharge system.
12.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and Effluent of 13.7 KL will be generated once in three months will be stored in storage tank of capacity 15 KLD and 7.3 KLD of fresh water RO reject will be generated, both will be treated in Evaporator of capacity 10 KLD. 2 KLD of treated water from septic tank will be utilized for green area demand	Agreed. The same will be complied.
13.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters	Agreed. Continuous online monitoring system for stack emissions will be installed.

	in the channel/drain carrying effluent within the premises.	
14.	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.	Agreed. Raw material i.e. 46MT/Day methanol is hazardous in nature being highly inflammable. A copy of PESO approval is attached as Annexure 6 .
15.	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Agreed. The occupational health centre for surveillance of the worker's health will be set up during operational phase.
16.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.	Agreed. Training will be imparted to all employees on safety and health aspects of chemicals handling.
17.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Agreed. The same will be taken care.
18.	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Agreed. The solvent management will be carried out as per the given condition.
19.	Total fresh water requirement, sourced from Bore well shall not exceed 82 KLD. Prior permission in this regard shall be obtained from the concerned regulatory	Agreed. Total fresh water requirement, sourced from Bore well will not exceed 82 KLD.

	authority/CGWA and renewed from time to time.	
20.	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	Agreed. The same shall be complied.
21.	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Agreed. The same shall be taken care.
22.	The green belt of at least 5-10 m width shall be developed in at least 33.8% of the total project area (@2500 Trees per ha), mainly along the plant periphery/outside. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Trees have to be planted with spacing of 2.0 m x 2.0 m ratio and as in first year itself and subsequent years the green belt shall be monitored. The plant species can be selected that will give better carbon sequestration and dust tolerant species. As committed by PP 20% of the total plantation will be done within this monsoon. Saplings of at least 4-5 feet height will be planted to assure maximum survival rate. Complete plantation will be done within 2 years' time.	Agreed. A total of 1300 trees have been planted at various places. Photographs showing the same is attached as Annexures 3.
23.	The activities and the action plan proposed by the project proponent to address the issues raised during public hearing and	Agreed. The same shall be taken care.

	socio-economic issues in the study area shall be completed as per the schedule presented before the Committee and as described in the EIA report in letter and spirit.	
24.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management Cell has been formed to supervise and monitor the environment related aspects of the project. Details regarding same are attached as Annexure 4.

B. General Conditions:

S. No.	Conditions	Reply
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed. No further expansion or modifications in the plant will be taken without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA.
2.	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	Agreed. The rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) will be strictly complied.

3.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed. The energy source for lighting purpose will be preferably LED based once the project is operational.
4.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed. The reports are attached as Annexure 7.
5.	The company shall undertake all relevant measures for improving the socio- economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed. All relevant measures for improving the socio- economic conditions of the surrounding area being taken. Rs. 5,86,396/- has been spent on CER activities. Copy of appreciation letters is attached as Annexure 8. Photographs for the same are attached as Annexure 9.
6.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Agreed. Rs.60.66 lakhs will be allocated as capital cost and Rs.12 lakhs/annum will be incurred as recurring cost.
7.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/	The clearance letter has been sent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body, etc. Receiving of the same is attached as Annexure 10.

	representations, if any, were received while processing the proposal.	
8.	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Six monthly compliance report for period ending 31.03.2022 has been submitted to RO, MoEF&CC, Chandigarh through E-mail. Screenshot of the E-mail and is enclosed as Annexure 11(a) . Also, compliance report for period ending 30.09.2022 has been uploaded on Parivesh portal Annexure 11(b) . The same has been uploaded on the company website. Screenshot attached as Annexure 12 .
9.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.	Agreed. The same will be complied.
10.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Agreed. Advertisement in newspapers were published in two languages was submitted ; Copy for the same is enclosed as Annexure 13 .

11.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted.
12.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.

TEST REPORT



TC-7477

ULR No. : TC747723000004314F		Test Report No. : EL220523NS003	
Type of Sample : Soil.		Date of Reporting : 26/05/2023	
Customer	Formaldehyde Manufacturing Unit M/s Feel Organic Located at Vill. Seehpur, Teh. Derabassi, S.A.S Nagar, Punjab	Work Order No. & Date	EMS/E/5992 DT:03.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	22/05/2023
Sampling Location	Project Site	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	22/05/2023 To 26/05/2023
Sample Description Brown coloured soil.			
Packing, Markings, Seal & Qty.		10 Kg Poly Bag Marked 'V/22/01'	

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	8.34	IS:2720 (Part-26) Cl-2,
2	Conductivity	mmhos/cm	0.327	IS:14767
3	Moisture Content	%	8.6	IS:2720 (Part-II) Sec-1
4	Organic Matter	%	1.57	IS: 2720 (Part XXII) Sec-1,
5	Texture	--	Sandy Loam	IS:2720 (Part-4) Cl 2,4,
6	Bulk Density	gm/cc	1.49	IS: 2720 (Part-7)

Remarks : Please refer terms & conditions mentioned on backside.

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****



Umesh Kumar

Authorized Signatory-Chemical

TEST REPORT



TC-7477

ULR No. : TC747723000004369F		Test Report No. : EL230523NA003	
Type of Sample : Ambient Air Quality		Date of Reporting : 26/05/2023	
Customer	Formaldehyde Manufacturing Unit M/s Feel Organic Located at Vill. Seehpur, Teh. Derabassi, S.A.S Nagar, Punjab	Work Order No. & Date	EMS/E/5992 DT:03.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Project Site (Near Main Gate)	Period of Analysis	23/05/2023 To 26/05/2023
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear sky
Testing Location	On Site & Permanent Facility		

RESULTS

I-Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Respirable Suspended Particulate Matter (as PM10)	µg/m ³	87	100	IS: 5182 (Part-23)
2	Particulate Matter (as PM2.5)	µg/m ³	48	60	Lab SOP: EL/SOP/AAQ/01, Issue No. 03, Jan 01
3	Sulphur Dioxide (as SO ₂)	µg/m ³	8	80	IS: 5182 (Part-2)
4	Nitrogen Dioxide (as NO ₂)	µg/m ³	27	80	IS: 5182 (Part-6)
5	Ammonia (as NH ₃)	µg/m ³	17	400	Lab SOP: EL/SOP/AAQ/02, Issue No. -03, Jan 01
6	Ozone (as O ₃)	µg/m ³	31	180	IS: 5182 (Part-9)
7	Carbon Monoxide (as CO),	mg/m ³	0.68	04	IS: 5182 (Part-10), NDIR Method

Remarks : Please refer terms & conditions mentioned on backside.

OTHER INFORMATION

Abbreviation :

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report



Umesh Kumar

Authorized Signatory-Chemical

TEST REPORT



TC-7477

ULR No. : TC747723000004391F		Test Report No. : EL230523NN003	
Type of Sample : Ambient Noise		Date of Reporting : 26/05/2023	
Customer	Formaldehyde Manufacturing Unit M/s Feel Organic Located at Vill. Seehpur, Teh. Derabassi, S.A.S Nagar, Punjab	Work Order No. & Date	EMS/E/5992 DT:03.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008.	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Project Site (Near Main Gate)	Period of Analysis	23/05/2023 To 23/05/2023
Testing Protocol	IS 9989-1989, RA 2008.		
Testing Location	On Site & Permanent Facility		

RESULTS

I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	58.7	LAB SOP: EL/SOP/AN/01, Issue No.-04, Nov 10

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : Please refer terms & conditions mentioned on backside.

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report



Umesh Kumar

Authorized Signatory-Chemical

TEST REPORT



TC-7477

ULR No. : TC747723000004335F		Test Report No. : EL220523NW003	
Type of Sample : Water (Ground Water)		Date of Reporting : 26/05/2023	
Customer	Formaldehyde Manufacturing Unit M/s Feel Organic Located at Vill. Seehpur, Teh. Derabassi, S.A.S Nagar, Punjab	Work Order No. & Date	EMS/E/5992 DT:03.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:17614 (P-1) 2021	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	22/05/2023
Sampling Location	Borewell (Near Gate No.2)	Testing Location	Permanent Facility
Testing Protocol	IS:10500-2012 (IInd Revision)	Period of Analysis	22/05/2023 To 26/05/2023
Sample Description	Clear, colourless liquid.		
Packing, Markings, Seal & Qty.	2 litre Plastic & 500ml Glass Bottle Marked 'V/22/01'		

RESULTS

I-Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS: 3025 (Part-4)CI 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 (Part-5)
3	pH @ 25°C	-	7.24	6.5-8.5	No relaxation	IS:3025 (Part-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS: 3025 (Part-8)
5	Turbidity	NTU	BDL(DL1)	1	5	IS 3025 (Part-10)
6	Chloride as Cl	mg/l	23	250	1000	IS: 3025 (Part-32)
7	Iron as Fe	mg/l	0.15	1.0	No relaxation	APHA-23rd Ed -3500Fe-B Phenanthroline Method
8	Total hardness as CaCO3	mg/l	198	200	600	IS :3025 (Part-21)

II-Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliform	CFU/100ml	Absent	Absent	-	IS:15185
2	E.coli.	CFU/100ml	Absent	Absent	-	IS:15185

Dr. Ajay Kumar

Authorized Signatory-Chemical & Biological



ULR No. : TC747723000004335F

Test Report No. : EL220523NW003

Type of Sample : Water (Ground Water)

Date of Reporting : 26/05/2023

Remarks : Please refer terms & conditions mentioned on backside of page No.1/2.

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****



Dr. Ajay Kumar

Authorized Signatory-Chemical & Biological